Dec 9 or sooner

W	ork	0	rder	ID	76649
---	-----	---	------	----	-------

November-18-11 10:39:04 AM

76649

Page 1

D3267-043 Item ID: Accept *N900040100* Setup Start **Revision ID:** Item Name: Basket Lid Assembly (Inside) 18/11/2011 Start Qty: 1.00 **Start Date: Cust Item ID: Required Date:** 09/12/2011 Req'd Qty: 1.00 **Customer:** Reference: Run Start Process Plan: M.L.J Date: 11/11/18 Tooling: Approvals: Date: QC: Date: SPC (Y/N): Date: Sequence ID/ Operation **Tool ID** Set Up/ Tool # Plan Accept Reject Reject Insp. Description Qty **Work Center ID** Code **Qty** Number Stamp **Run Hours** Draw Nbr Revision Nbr D3267 Rev C Weld per dwg A/R S.S. rod Batch: 41/5778 0.00 100 1x 0/11/12/09 Large Fab *100* Large Fab 0.00 Memo Large Fab 1-Cut Rib from 3/4" x 3/4" x 0.063" wall 304/316 SS tubing as per Dwg D3267 CP(11.10.08 2-Cut (4) D2236-1 From D3166-3 3-Drill holes in tubing D3267-043 as per Dwg D3267 4-Deburr & Remove All Markings From Material

5-Weld D3267-043 Assembly using Welding Table and corner Jig as per Dwg

Note: Expanded metal "diamonds" must run lengthwise. Eg 2:0" along length of

D3267. Deburr as required

Dail Aciospace Ela	irt Aerospace Lt	d	
--------------------	------------------	---	--

W/O:		WORK ORDER CHANGES													
DATE	STEP	PR	OCEDURE CHAI		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector						
			- 4 m / v												
				43 •											
Part No		PAR #:	Fault Categ	jory:	NCR: Yes	No DQ	A :	_ Date: _							
	Res	olution:	Disposition	:	_ QA: N/C CI	osed:		Date: _							
NCR:			WORK ORDER NON-CONFORMANCE (NCR)												
DATE	STEP	Description of NC Section A	Initial Chief Eng	Corrective Action Section Action Description Chief Eng	on B Sign & Date	Verification Section C		Approval Chief Eng	Approval QC Inspector						
·															
				11 (11 (11 (11 (11 (11 (11 (11 (11 (11			_								
<u> </u>															
,															

Work Ord November-18-1				*766	349*						Page
Item ID: Revision ID:	D3267-043			Accept	*N900	040	100)*	Setup Sta		VS1*
Item Name: Start Date: Required Date: Reference:	18/11/2011	Start Qty: 1.00 Req'd Qty: 1.00	*1* *1*		Cust Item 1 Customer:	ID:				~ ^ [VS2*
Approvals:		an:	Date:			ate:		1	Run Sta Sto	•••	NR1* NR2*
Sequence ID/ Work Center II 110 *110* QC Quality Control	D	Operation Description QC9- Inspect visual per	QSI004- Fusion Welds	Set Up/ Run Hours 0.00	Tool ID	Tool#	Plan Code	Accept Qty	Reject Qty	Reject Number	
120 *120* QC		QC6- Inspect dimensions Memo	to drawing	0.00	uirlo9			_(0)_			

Quality Control

	-							
W/O:			WC	RK ORDER CHANG	ES			
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	Date Qt	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			······································					
Part No	•	PAR #:	Fault Cate	jory:	NCR: Yes	No DQA:	Date: _	
		esolution:						
NCR:	. , ,		WORK ORDI	ER NON-CONFORMA	NCE (NCR)		
DATE	STEP	Description of NC		Corrective Action Section		Verification	1 Approval	Approval
DATE	SIEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector
		·						
		·						
		,						

Work Order ID 76649 November-18-11 10:39:04 AM				*76649*									Page 3
Item ID: Revision ID: \(\) Item Name:	D3267-043 Basket Lid As	sembly (Inside)			Accept	*N900	040	100)*	Setup	Start Stop	*N:	S1* S2*
Start Date: Required Date: Reference:	18/11/2011	Start Qty: 1.00 Req'd Qty: 1.00		*1* *1*		Cust Item II Customer:	D:					IV.	
Approvals:	Process Pla	ın:	Date:_		Tooling: SPC (Y/N):		te:		1	Run	Start Stop	*NI *NI	R1* R2*
Sequence ID/ Work Center II 130 *130* Powdercoat Powder Coating	White Gloss(Ref:4.3.: Memo Powder C 1ST START T OVEN T FINISH T ************************************		EMPERATURE: "************* 2nd coat if new AT: "IME: EMPERATURE		100 of	Tool ID	Fool ID Tool #		Accept Qty	Rej Qty		Reject Number	Insp. Stamp
140 *140* QC		QC3- Inspect Part Finish Memo			0.00				illa	95			

Quality Control

	b														
W/O:		-	WC	RK ORDER CHANG	ES										
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector						
Doub No.		D.D. //	5. U.O.A.		NOD	N		D.A.							
Part No		PAR #:													
	Re	esolution:	Disposition	1:	_ QA: N/C C	losed:		Date: _							
NCR:		,	WORK ORDER NON-CONFORMANCE (NCR)												
DATE	STEP	Description of NC		Corrective Action Section		Verific	ation	Approval	Approval						
DAIL	JILF	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date		on C	Chief Eng	QC Inspector						

Work Orde				*766	49*						Page 4
Item ID: Revision ID: Item Name:	D3267-043	sembly (Inside)		Accept	*N900	0401	N 0*	Setup	Start Stop		S1* S2*
Start Date: Required Date: Reference:	18/11/2011	Start Qty: 1.00 Req'd Qty: 1.00	*1* *1*		Cust Item II Customer:	D:				TN,	57"
Approvals:		n:	Date:	Tooling: SPC (Y/N):		te:	_	Run	Start Stop		R1* R2*
Sequence ID/ Work Center II 145 *145 Packaging Packaging)	Operation Description Identify as per dwg & Stoc Memo	k Location:	Set Up/ Run Hours 0.00	Tool ID 76639	Tool # Pla	-	ot Rej Qty		Reject Number	Insp. Stamp
150 *450*		QC21- Final Inspection - V	Vork Order Release	0.00			630	Κ.	\ . ¬	129	

0.00

Memo

Quality Control

U 11.12.09

		The second secon		DI ODDED OLIMIO			-		
W/O:	,		WC	RK ORDER CHANG	ES				
DATE	STEP	PR	OCEDURE CHAI	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
									:
Part No	:	PAR #:	Fault Cate	gory:	NCR: Yes	No DQ	A:	Date:	
	Reso	olution:	Disposition	1:	_ QA: N/C Cl	osed:		Date: _	
NCR:			WORK ORDE	ER NON-CONFORMA	NCE (NCR)			•
DATE	STEP	Description of NC		Corrective Action Section		cation	Approval	Approval	
DAIL	J.L.	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C		Chief Eng	QC Inspector

Picklist Print

November-18-11 10:39:09 AM

Work Order ID: 76649

76649

D3267-043

Parent Item Name: Basket Lid Assembly (Inside)

D3267-043

Start Date: 18/11/2011

Required Date: 09/12/2011

Page 1

Start Qty: 1.00

Required Qty: 1.00

Comments:

Parent Item:

Removed -041 IPP Rev:C

05-11-04 JLM

IPP Rev:D 08-09-10 revC as per dwg (ecn 08-524) DD verified

by:EC

IPP Rev:E add I.D. DD 10.03.11 verified by:EC

IPP Rev:F

reverse order of seq. 150, 155 DD 10.04.07 Verified by:JLM

		. 130, 133 DD 1		vermed by.	31.7141								
Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3166-3		Manufactured	No	4_44_	-	100	Each	6.0727	0	0	7		. 1
D3166-3									**	B7018	39 ->-	5-57	ST 11
				Location	ļ	Loc	<u>Oty</u>	Loc Code			÷		
				WA	,		6		-		-		
					73627		6		_		_		
				WA007		0.0727					_		
4					64928 68442	0.0201	0527 0526		-		_		
, D3182-1		Manufactured	No		00442	100	Each	6.0000	2	2	_		
D3182-1		wanutactured	110			100	240	0.000	**	JJ.	11/12/	08	
				Location		Loc	<u>Otv</u>	Loc Code					
~				WA (71223		6 6			$\widehat{(2x)}$	- -		•
D3442-3 *\(\sigma 3442-3*\) Shim		Manufactured	No			100	Each	11.0000	**	J.J	11/12	08	
				Location		Loc (Qty	Loc Code					
				WA005			11		_		-		
					70671		11			(۲ <u>۶</u>	en.		

Dail Aci	ospace	Liu								
W/O:			W	ORK ORDER CHANG	ES				•	
DATE	STEP	PROC	CEDURE CH	ANGE	Ву	,	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
						-				
	:									
Part No:		PAR #:	_ Fault Cat	egory:	NCR: Y	es N	o DQ /	A :	_ Date: _	
	Re	esolution:	_ Dispositi	on:	_ QA: N/0	Clos	ed:		Date: _	<u> </u>
NCR:		W	ORK ORE	DER NON-CONFORM	ANCE (N	CR)				
DATE	STEP	Description of NC Section A	Initial Chief Eng	Corrective Action Sect Action Description Chief Eng		gn & ate			Approval Chief Eng	Approval QC Inspecto
	54,	•								
		. *								
•							<u>-</u>			·
e.								. •		
				, ,						,
•								:		

Picklist Print November-18-11 10:39:09 AM				Page 2
Work Order ID: 76649	*76649*			
Parent Item: D3267-043	*D3267-043*			
Parent Item Name: Basket Lid Assembly (Inside)			Start Date: 18/11/2011 Start Qty: 1.00	Required Date: 09/12/2011 Required Qty: 1.00
M304TS0.750W.065 Purchased	No	100 f	506.7499 7 7,368	3421
M304TS0 750W 065			** #	11/12/08
`	Location	Loc Qty	<u>Loc Code</u>	
	MAT018	485.0857585		
	117636	67.9987		
	1187 <u>73</u>	417.087059	7.36	2
	WA	6.0667		<u></u>
	118181	6.0667		
	WA007	15.5974906	<u> </u>	<u> </u>
	116267	14.628472		<u> </u>
M304EX0.75-16F Purchased	116763 No	0.9690186 110 sf	554.2561 4.3 4.526	5316
M304FX0 75-16F Expanded Metal Flat SS			**	GC11.12.08
	<u>Location</u>	Loc Oty	Loc Code	
	WA	554.2561116		
	117197	102.9036		
	117896	53.3264		
	118153	76.8473		
	118248 118597	33.0983 21.06788		<u> </u>
	118955	82.17		- Common
	119180	184.842632	4	<u>5</u> 263

W/O:		WORK ORDER CHANGES										
DATE STEP		PRO	PROCEDURE CHANGE			Date C	Approval Chief Eng /	Approval QC Inspector				
							Prod Mgr	QC Inspector				
			···									
				-								
		PAR #:	Fault Cat	NCR: Yes	CR: Yes No DQA: Date:							
		esolution:	Disposition: (A: N/C Closed: Date:						
NCR:			WORK ORDER NON-CONFORMANCE (NCR)									
DATE	0TED	Description of NC		Corrective Action Section B		Verification	on Approval	Approval				
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C		QC Inspector				

QTY -043 QTY -041 PART NUMBER DESCRIPTION D3267-041 BASKET LID ASSEMBLY (OUTSIDE) X х D3267-043 BASKET LID ASSEMBLY (INSIDE) D2327-3 2 SPACER BUSHING D2506 LABEL PLATE STRUT D2512-7 D2581 MOUNTING BRACKET 2 D2989-1 STRUT D2989-2 STRUT D2989-3 STRUT D2989-4 STRUT 2 D2989-5 STRUT D2989-7 STRUT D2989-9 STRUT D2989-10 STRUT 1 D2989-11 STRUT D2989-12 STRUT 2 D2989-13 STRUT D2989-15 STRUT D3182-1 2 HINGE 2 2 D3265-3 STRUT D3266-7 STRUT D3267-1 STRUT D3442-3 SHIM

SHOP COPY **RETURN TO ENGINEERING UNCONTROLLED COPY** SUBJECT TO AMENDMENT WITHOUT NOTICE
WORK ORDER
NO. 76649 M.C.F



D

С

DRAWING UPDATED TO CURRENT STANDARDS. SHEET 3 ADDED. FRAME MATERIAL WALL THICKNESS AJS 08.08.15 WAS 0.060. D3267-1 DETAILED. ADD SHIM UNDER HINGES PH 05.06.08 NEW ISSUE DS 04.02.02 Α REV. DESCRIPTION BY DATE EROSPACE LTD URY, ONTARIO, CANADA

DESIGN	DS	DART A				
DRAWN	AJS	HAWKESBU				
CHECKED	PGF	DRAWING NO.				
MFG. APPR.	E	D3267				
APPROVED	M	TITLE				
DE APPR.	-111-	BASKET LID ASS				
DATE OO O	0.45	COPYRIGHT © 2				

REV. C SHEET 1 OF 3 SCALE SEMBLY NTS 2004 BY DART AEROSPACE LTD

08.08.15

D

1) FRAME MATERIAL: AISI 304/316 SS, 3/4 x 3/4 x 0.065 WALL SQUARE TUBING REF. DART SPEC M304TS0.750W.065

(D2989-3/4/5/11/12/13 CAN BE MADE FROM D2236)

2) MESH MATERIAL: 3/4-16F EXPANDED SS

REF DART SPEC M304EX0.75-16F

3) FINISH: POWDER COAT ENTIRE ASSEMBLY WHITE (REF. 4.3.5.2) PER DART QSI 005 4.3.

BLACK ANTI-SKID PAINT INDICATED AREA PER DART QSI 005 4.4. SPRAY PAINT INSIDE SURFACE BLACK PRIOR TO APPLYING ANTI-SKID.

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED


5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: NONE


7) WEIGHT: N/A

8) WELD PER DART QSI 004

W/O:			WO	RK ORDER CHANG	ES		_		
DATE STEP		PROCEDURE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
					,				
									
									- executive and management of the control of the co
Part No	•	PAR #:		jory:	_ NCR: Yes	No DQ	A:	Date: _	
					QA: N/C Closed: Date				
NCR:			WORK ORDE	R NON-CONFORMA	NCE (NCR)			
DATE	STEP	Description of NC	<u> </u>	Corrective Action Section B		Verifica		Approval	Approval
DAIL	SILP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C		Chief Eng	QC Inspector
		•							



W/O:		WORK ORDER CHANGES									
DATE STEP		PROCEDURE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
								Prod Mgr			
				•							
Part No	•	PAR #:	Fault Cate	egory:	_ NCR: Yes	No DQ	A:	Date:			
	R	esolution:	Disposition: 0			osed:		Date:			
NCR:			WORK ORD	ER NON-CONFORMA	ANCE (NCF	₹)					
D.47F	0750	Description of NC		Corrective Action Section B		Verificati		n Approval	Approval		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Secti	Section C	Chief Eng	QC Inspector		
			·								
	,										
	İ]		



Dart Aeros	pace L	td
------------	--------	----

	•								
W/O:		, ,	W	ORK ORDER CHANG	SES				
DATE STEP		PROCEDURE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
						·			
									
····									
Part No:		PAR #:	Fault Cate	egory:	NCR: Yes	Nó DQA:	·	Date:	
	Resolution:		Disposition	Disposition: QA				Date:	
NCR:			WORK ORE	ER NON-CONFORM	ANCE (NC	₹)		11.	i
DATE		Description of NC	Corrective Action Section B			Verifica		Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section Section		Chief Eng	QC Inspector
			-						
								ļ	